# EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|---|---|---|---|---|---|---|
| L1 | 2 | "7187771".pn. | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2007/09/06 17:25 |
| S2 | 15538151 | @ad < "20040126" | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2007/04/14 16:59 |
| S5 | 0 | "10660335" and angelo | US-PGPUB; USPAT | OR | ON | 2006/03/24 14:27 |
| S6 | 1 | "10/660335" and angelo | US-PGPUB; USPAT | OR | ON | 2006/03/24 15:52 |
| S7 | 15538151 | @ad < "20040126" | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/03/24 15:52 |
| S8 | 168 | S7 and (trust$6 adj3 platform adj3 module) | US-PGPUB; USPAT | OR | ON | 2006/03/24 15:53 |
| S9 | 110 | S7 and ((trust$6 adj3 platform adj3 module) same key) | US-PGPUB; USPAT | OR | ON | 2006/03/24 17:16 |
| S10 | 3505 | S7 and (secure adj3 module) | US-PGPUB; USPAT | OR | ON | 2006/03/25 08:42 |
| S11 | 5 | S10 and ((tpm with key )) | US-PGPUB; USPAT | OR | ON | 2006/03/24 17:21 |
| S12 | 1 | S10 and ((tpm with multiple)) | US-PGPUB; USPAT | OR | ON | 2006/03/24 17:21 |
| S13 | 105 | S10 and ((secure adj3 module) same (key and ((first and second) many multiple))) | US-PGPUB; USPAT | OR | ON | 2006/03/24 17:47 |
| S14 | 1116 | S10 and ((dual two) same (secur$ near10 module)) | US-PGPUB; USPAT | OR | ON | 2006/03/24 17:49 |
| S15 | 212 | S14 and ((module root) with key) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/03/24 18:02 |
| S16 | 12 | S9 AND ((stor$5) with (root adj2 key)) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/03/24 18:36 |
| S17 | 3 | S7 and ((transmit$4 sav$5) with (TPM and private and key)) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/03/24 18:38 |

| S18 | 65 | angelo-mi$.in. and houston | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/03/24 19:15 |
|-----|-----|-----|-----|-----|-----|-----|
| S19 | 15538151 | @ad < "20040126" | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/03/25 08:43 |
| S20 | 117 | S19 and (((secure adj3 module) and (restor$5 fail$5 sav$5)) same key) | US-PGPUB; USPAT | OR | ON | 2006/03/25 08:46 |
| S21 | 0 | S20 and (TMP same (dectect$5 scan$9 count$9 config$8)) | US-PGPUB; USPAT | OR | ON | 2006/03/25 08:47 |
| S22 | 98 | S20 and ((TPM (secur$5 ajd3 module)) same (dectect$5 scan$9 count$9 config$8)) | US-PGPUB; USPAT | OR | ON | 2006/03/25 08:51 |
| S24 | 27 | S20 and ((secur$5 adj3 module) same (shar$5 and key)) | US-PGPUB; USPAT | OR | ON | 2006/03/25 10:44 |
| S25 | 1 | "5586304".pn. | US-PGPUB; USPAT | OR | ON | 2006/03/25 16:28 |
| S26 | 15538151 | @ad < "20040126" | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/03/25 16:29 |
| S27 | 168 | S26 and (trust$6 adj3 platform adj3 module) | US-PGPUB; USPAT | OR | ON | 2006/03/25 16:29 |
| S28 | 72 | S27 and ((authentica$5 shar$5) same module) | US-PGPUB; USPAT | OR | ON | 2006/03/25 16:31 |
| S29 | 653 | (((dual multiple) near10 (trust$9 secur$9)) with module) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/09/05 09:19 |

| S31 | 49 | (US-20050060541-$ or US-20050154890-$ or US-20050141717-$ or US-20010013098-$ or US-20030110372-$ or US-20050144440-$ or US-20050129244-$ or US-20050138393-$ or US-20030026427-$ or US-20060031381-$ or US-20030133575-$ or US-20030182561-$ or US-20050138384-$ or US-20050149722-$ or US-20050114686-$ or US-20050138399-$ or US-20050081065-$ or US-20050138423-$ or US-20030174842-$ or US-20040247131-$ or US-20050149733-$ or US-20020059286-$ or US-20040030901-$ or US-20040117318-$ or US-20030105965-$ or US-20050144443-$).did. or (US-20050138434-$ or US-20060174240-$ or US-20060101288-$ or US-20060074600-$ or US-20060026422-$ or US-20050160291-$ or US-20050005156-$).did. or (US-6588673-$ or US-6625729-$ or US-6581162-$ or US-6502203-$ or US-6749115-$ or US-6948065-$ or US-6775779-$ or US-6782349-$ or US-6032257-$ or US-5953422-$ or US-6633978-$ or US-6625730-$ or US-6985591-$ or US-5586304-$ or US-6948064-$ or US-6671804-$). did. | US-PGPUB; USPAT | OR | ON | 2006/09/05 08:52 |
| S32 | 2 | S29 and challener-$.in. | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/09/05 09:02 |
| S33 | 1 | S29 and cromer-$.in. | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/09/05 09:03 |

| S35 | 26 | S29 and tpm | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/09/05 09:19 |
|-----|-----|-------------|-----------------------------------|-----|-----|------------------|
| S36 | 15716112 | @ad < "20040126" | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/12/06 09:13 |
| S37 | 586 | S36 and ((dual two) adj10 (secur$9 adj9 module)) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/12/06 10:42 |
| S38 | 23 | S36 and (((dual two) adj10 ((secur$9 trust$5) adj9 module)) same (computer)) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/12/06 09:16 |
| S39 | 15716112 | @ad < "20040126" | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/12/06 10:44 |
| S40 | 586 | S39 and ((dual two) adj10 (secur$9 adj9 module)) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/12/06 10:44 |
| S41 | 55 | S40 and ((private adj4 key) same (signature hash$8)) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/12/06 11:02 |
| S42 | 2 | S40 and (wrap$8 with key) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/12/06 11:04 |
| S43 | 100 | S40 and ((secur$8 trust$9) same (stor$8 with key)) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/12/06 12:59 |
| S44 | 2 | "20040039925" | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/12/06 16:31 |
| S45 | 15716112 | @ad < "20040126" | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/12/06 16:32 |
| S46 | 586 | S45 and ((dual two) adj10 (secur$9 adj9 module)) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/12/06 16:32 |

| S47 | 3 | S46 and ((back$1up redundan$5) same ((secur$6 trust$5) adj4 module)) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/12/06 16:54 |
|-----|---|---|---|---|---|---|
| S48 | 8 | S46 and ((back$1up redundan$5) same ((secur$6 trust$5) with (module chip TPM))) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/12/06 16:58 |
| S50 | 3 | S46 and (redundan$5 with ((secur$5 trust$8 tmp) and (module chip card))) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/12/06 17:00 |
| S51 | 5 | S46 and (redundan$5 with (secur$5 trust$8 tmp)) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/12/06 17:01 |
| S52 | 15766103 | @ad < "20040126" | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2007/04/14 17:00 |
| S53 | 661 | S52 and (redundan$9 with (secu$8 and (device module))) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2007/04/14 17:03 |
| S56 | 256 | S53 and (secur$9 same (identif$8 key)) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2007/04/14 17:11 |
| S57 | 100 | S53 and ((secur$9 and detect$8) same (identif$8 key)) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2007/04/14 17:11 |
| S58 | 15766831 | @ad < "20040126" | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2007/04/16 08:39 |
| S59 | 661 | S58 and (redundan$9 with (secu$8 and (device module))) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2007/04/16 11:39 |
| S60 | 256 | S59 and (secur$9 same (identif$8 key)) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2007/04/16 08:39 |
| S61 | 81 | S60 and (secur$8 with (redundan$8 and fail$7)) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2007/04/16 10:06 |

| S62 | 14349 | S58 and (((migrat$8 stor$8) and secur$8 and key) with (module trust$5 device)) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2007/04/16 10:09 |
|---|---|---|---|---|---|---|
| S64 | 95 | S62 and ((redundan$5 with (secur$5 trust$5)) same (key)) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2007/04/16 11:12 |
| S66 | 2 | "7042988".pn. | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2007/04/16 11:12 |
| S67 | 2 | "7024594".pn. | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2007/04/16 11:30 |
| S68 | 2 | "7187771".pn. | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2007/04/16 11:30 |
| S69 | 51 | S58 and (back$1up$1 with ((secu$8 and trust$5) and (device module))) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2007/04/16 15:16 |
| S70 | 2 | "20040068591" | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2007/04/16 15:27 |
| S71 | 2 | "6874100" .pn. | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2007/04/16 15:27 |
| S72 | 77 | (redundan$8 with (secure and module)) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2007/09/05 09:41 |
| S73 | 3359 | (((secur$5 trust$9) and module) with (key and (register$9 stor$9))) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2007/09/05 09:45 |
| S76 | 312 | (((secur$5 trust$9) and module) with (key and (registering stor$9) and multiple)) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2007/09/05 09:47 |
| S77 | 1647 | S73 and ((trust$9 secure) with (module and key)) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2007/09/05 09:48 |

# EAST Search History

| S78 | 26 | S77 and (BIOS with (authenticat$5)) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2007/09/05 11:02 |
|-----|----|-----|-----|-----|-----|-----|
| S79 | 23 | tpm with (key and exchang$5) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2007/09/05 13:10 |
| S80 | 40 | tpm with (key and owner) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2007/09/05 13:49 |
| S81 | 34 | tpm with (identif$9 and multiple) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2007/09/05 14:13 |
| S82 | 8 | ("20030074548"|"20040064457"|"20040103281"|"5633929").PN. | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2007/09/05 14:19 |
| S83 | 52 | (dual redundant two) with (trust$8 adj10 module) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2007/09/06 17:25 |
| S85 | 46 | (tpm with (send$5 and private and key)) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2007/09/06 09:35 |